

TempTale_®4USB Dry Ice Monitor

Complete Control of Your Dry Ice Environment

Fast, simple, efficient and secure cold chain visibility


Sensitech's TempTale®4 USB Dry Ice temperature monitor can be used to record and monitor cold chain shipment and storage processes of pre-preg/composite materials, resins, sealants, epoxies, adhesives and dry ice shipments where temperatures can reach as low as -80°C (-112°F). The TT4 USB Dry Ice monitor is a self-contained, battery powered electronic monitor that can be placed directly into dry ice containers and packaging, without the need for external probes or wires.

Monitoring the cold chain throughout complex supply chains is made easy with the TT4 USB Dry Ice monitor. Combining Sensitech's industry-leading temperature monitoring technology with USB 2.0 PC communications and a powerful on-board microcontroller enables access to time-and-temperature data without the need for proprietary software and hardware readers.

Plug the TT4 USB Dry Ice monitor into a PC's USB port and the monitor will automatically create a time-and-temperature information report in Adobe_® PDF format. Viewable using any Adobe compatible reader program, the report provides a complete cold chain trip history, allowing for rapid on-site shipment dispositions. Through e-mail or other file sharing capability, any interested party can instantly and effortlessly review shipment information.

The TT4 USB Dry Ice monitor also creates an encrypted data file (.ttx format) compatible with Sensitech's TempTale Manager® Desktop (TTMD) PC software and Internet-enabled application, ColdStream® Cold Chain Manager (CCM). The .ttx data file format enables secure data transfer, aggregation, analysis, and data storage in support of compliance and quality assurance requirements.







TempTale_®4 USB Dry Ice Monitor

| Specifications | |
|-------------------------------------|--|
| Temperature Measurement Range | -80°C to +30°C (-112°F to +86°F) |
| Temperature Accuracy Range | $\pm 1.7^{\circ}$ C from -80°C to +30°C ($\pm 3^{\circ}$ F from -112°F to +86°F) |
| Temperature Resolution | 0.1°C/F over full temperature measurement range |
| Data Memory Type | Non-volatile 16K EEPROM |
| Data Storage Capacity | 16,000 data points (16K) |
| Battery Life/Type | 1-year shelf life |
| Data Sampling Interval | Programmable from 10 seconds up to 15 minutes |
| Start-Up Delay | Minimum – 0 seconds Maximum – 10 days |
| LCD Display | Display temp values in °C or °F |
| Start Up Options | Manual push button or automatic launch option |
| Alarm Function | Programmable high and low limits; Alarm is triggered when temperature exceeds set limits |
| Typical Dimensions | 3.95" L x 2.18" W x 1.26" H (10.0cm L x 5.5cm W x 3.2cm H) |
| Weight | 4.3 oz., 121.90 grams |
| Maximum Recording Period | Continuous exposure to dry ice temperatures cannot exceed 30 days |
| Quality Assurance Certifications | CE Mark; Calibration Traceable to NIST_ $\ensuremath{\text{\circ}}$; RoHS, WEEE |
| Compatible Software | TempTale Manager Desktop or ColdStream Cold Chain Manager Software; Adobe Reader |
| Computer Interface | USB 2.0, A-Type plug |
| Monitor Recording Options | Single Use Only |

Operating the monitor outside of published specifications may affect the accuracy of the data and the standard operation of the monitor.



Features and Benefits

- Designed to accurately record, monitor and archive temperature data of mission critical dry ice shipments
- Easy-to-use "plug-n-play" operation
- No proprietary software required at shipment destination
- Integrated USB connector; no hardware or interface cable required
- Automatic generation of Adobe PDF cold chain data report allows prompt on-site decision making
- Monitor can be placed directly into the dry ice environment, directly in contact with product

Sensitech Inc. is focused on delivering supply chain visibility solutions that track, monitor and protect products for global leaders in the food, life sciences, consumer goods, and industrial markets. Our solutions are focused in three key areas: quality and compliance, supply chain security, and logistics performance management. Quality and compliance solutions address temperature-sensitive, complex supply chains focused on delivering the highest quality possible, while our supply chain security solutions help to mitigate risks associated with theft, diversion and chain of custody. Sensitech's logistics performance solutions deliver origin-to-destination, real-time transparency to any in-transit journey. Sensitech Inc. is an ISO 9001:2008 company, headquartered in Beverly, Mass., with more than 35 sales, service and distributions around the world. Sensitech is a part of UTC Climate, Controls & Security, a unit of United Technologies Corp., a leading provider to the aerospace and building systems industries worldwide. Visit www.sensitech.com for additional information. © 2017 Sensitech Inc. Aldobe is a registered trademark of Adobe Systems Incorporated in the United States and/or other countries. NIST is a registered trademark of The National Institute of Standards and Technology Agency of the United States Government.



